NNS Seedling Varieties - 2024



Sunpeach (herry Tomato

Delicious pink cherry tomato with leaf mold esistance. Deep-pink, shiny, 15-20 gram cherries. Vigorous, healthy, high-yielding plants. High resistance to leaf mold helps it stay healthy in high tunnels; also has high resistance to tomato mosaic virus. Resistant to cracking. Indeterminate. 60 days to harvest.

Golden Sweet Grape Tomato

Tasty yellow grape with leaf mold resistance. Crack-resistant, 15-20 gram, deep-yellow fruits grow in long clusters on tall, healthy plants. Mild, sweet flavor. Leaf mold resistance is a plus for indoor culture. High resistance to Fusarium wilt (race 1) and leaf mold. Indeterminate. 60 days to harvest.

Five Star Grape Tomato

Five Star Grape has excellent, sweet flavor and firm, meaty texture with few seeds and little juice. Healthy plants bear high yields of bright red, 15-20 gram, crack-resistant grape tomatoes. Indeterminate. 62 days to harvest.

Supersweet 100 (herry Tomato



(herry Tomatoes & Heirloom tomatoes

Black (herry Tomato

Sweet and robust. Bred in Florida by the late Vince Sapp, the round, 20 gram fruits are a pleasant purplebrown color. Regarded as one of the best tasting tomatoes. High vielding. Indeterminate.

64 days to harvest.

Gold Nugget (herry Tomato

An early, prolific, golden cherry tomato. 15-20 gram, round to slightly oval cherry tomatoes have a deep-vellow color. The flavor is wellbalanced and delicious, and a majority of the early fruits are seedless. Healthy, compact plants with a concentrated early set. Determinate. 56 days to harvest.






Delicious slicer for small spaces. Unlike traditional heirlooms, it is well-suited for patios and containers (owing to its tidy plant habit and short stature) and only needs a standard tomato cage for support. These burgundy 4-6 oz., ribbed tomatoes are richly flavored and perfect for slicing onto sandwiches. Determinate. 75 days to harvest.

Striped German Tomato

Bicolor red-and-yellow fruit. The flat, mediumto-large tomatoes with variable shoulder ribbing are shaded yellow and red. The marbled interior looks beautiful sliced. Complex, fruity flavor and smooth texture. Medium-tall vines bear 12+ oz. fruit. Indeterminate. 78 days to harvest.





Sun Gold (herry Tomato

fruits.

Exceptionally sweet, bright tangerine-orange cherry tomatoes. Vigorous plants start yielding arly and bear right through the season. Tendency to split precludes shipping, making these an exclusively fresh-market treat. High resistance to Fusarium wilt and tobacco mosaic virus. Indeterminate. 15-20 gram fruits. 57 days to harvest.

Sunrise Bumble Bee (herry Tomato Gorgeous combination of yellows and reds, inside

and out. Excellent sweet and tangy flavor. Adds a nice pop of color to any mix, but also stands alone as a premium-quality cherry for snacking and salads. Sunrise Bumble Bee was bred with high vigor to perform under tough conditions. Indeterminate. 20-25 gram fruits. 70 days to harvest.



Amish Paste Tomato

Large for a sauce tomato, Amish Paste's slightly irregular plum to strawberry-shaped fruits avg. 8-12 oz. with excellent flavor. These meaty tomatoes are good in salads and great for processing. Indeterminate.

85 days to harvest.

(herokee Green Tomato

Medium-size, 8+ oz. green fruits acquire some yellowish-orange color on the blossom end when ripe. Lots of bold, acidic, complex tomato flavor. Indeterminate.

72 days to harvest.

Heirloom, Slicer Tomatoes & Tomatillos



Moskvich Tomato

One of the most appealing extra-early tomatoes.

Fruits are early, deep red, and cold tolerant. Rich flavor. Smooth and globe-shaped. 4-6 oz. with a small stem scar. Indeterminate.

60 days to harvest.

(herokee Purple Tomato

Famously rich flavor and texture make this a colorful favorite among heirloom enthusiasts. Medium-large, flattened globe, 8-12 oz. fruits. Color is dusky pink with dark shoulders. Interior ranges from purple to brown to green. Relatively short vines. Indeterminate. 72 days to harvest.

Brandywine Tomato

Brandywine's luscious heirloom flavor is "very rich, loud, and distinctively spicy." The large fruits, often over 1 lb., have a deep pink skin and smooth, red flesh. The medium-tall, potato-leaf plant is best staked or caged. Indeterminate. 78 days to harvest.






CrimsBigeBeechde Huchepredatternal color.

Very similar in size, shape, and yield to Big Beef. High resistance to Alternaria stem canker, Fusarium crown and root rot, Fusarium wilt races 1 and 2, gray leaf spot, tomato mosaic virus, and Verticillium wilt; and intermediate resistance to nematodes and tomato spotted wilt virus. Indeterminate. 72 days to harvest.

Martha Washington Tomato

Heirloom-quality pink slicer with a more reliable plant. Great taste like the pink heirloom tomatoes with wider adaptability make it easier to grow under varied growing conditions. Globe-shaped pink fruit weigh from 8–12 oz. Indeterminate. 78 days to harvest.



Mountain Merit is a small to medium slicer with a milder flavor. Highly resistant to Gray Leaf Spots, Nematodes, and Verticillium Wilt. 75 days to harvest



Valencia Tomato

Sunny orange fruits with full tomato flavor. Round, smooth fruits average 8-10 oz. Their meaty interiors have few seeds. This midseason tomato is among the best for flavor and texture. Indeterminate. 76 days to harvest.



De Milpa Tomatillo

Purple heirloom for long storage. High dry matter, small to medium-round fruits store fresh for several weeks, handy for fresh salsa. Portions of the fruits blush with purple, especially after harvest. 70 days to harvest.



Toma Verde Tomatillo

Early green tomatillo. Early maturing, large, flat-round green fruits. Use in salsa or Mexican cooking.

60 days to harvest.



Goldie Husk (herry

Small orange berry with a husk. This oldfashioned tomato family member bears sweet golden berries inside papery husks. The flavor is quite sweet and a bit wild. Plants are profusely branching, prolific, and drop ripe fruits. Fruits can be eaten raw, dried like raisins, frozen, canned, or made into preserves, cooked pies, and desserts. 75 days to harvest.



Juliet Tomato

Deep red, shiny fruits that typically weigh 2 ounces each. Rich tomato flavor fresh or cooked for salads, salsa, and fresh pasta sauce. Intermediate resistance to blight. 60 days to harvest

Assorted Vegetables



BC 1611 Broccoli

Stems are tender and pickable at a longer length (up to 8") for easier bunching. Fewer leaves on the stems for minimal stripping during harvest. Beautiful bright green color and head shape. Strong plant with an open habit. Pinching not necessary.

33 days to harvest.

Nabechan Scallion


Sweeter, more complex flavor. Upright plants with long, thick shanks. Resists leaf-curl and bulbing in hot weather. Nabechan is a traditional Japanese type grown for its high quality. Can also be grown like a leek to create a unique, large scallion, known as "Negi" in Japan.

60 days to harvest.



Katrina Snacking (ucumber Tasty snacking cucumber with good heat

tolerance. Katrina is very high yielding with excellent uniformity. This seedless, thin-skinned cuke is best when harvested at 5 1/2–6 1/2" long. High resistance to scab; and intermediate resistance to cucumber mosaic virus, cucumber vein yellowing virus, and powdery mildew. 49 days to harvest.



Attractive snacking cucumbers with glossy, thin, dark green skin. Best harvested at 4-5". Vines produce fewer suckers than typical cucumber varieties. Excellent yields. High resistance to scab and target spot; and intermediate resistance to cucumber mosaic virus, cucumber vein yellowing virus, and powdery mildew. 50 days to harvest.



Diva Slicing (ucumber

Diva's seedless, thin-skinned slicing cucumber is crist, sweet, and bitter free. Especially flavorful when harvested small. High resistance to scab and intermediate resistance to powdering mildew 58 days to harvest



Red Long of Tropea Onion

Tall, elongated red bulbs. Traditionally grown in Mediterranean Italy and France for harvest just at maturity in mid-late summer. For bunching or fresh use, not for storage.

90 days to harvest.



Salt & Pepper Pickling (ucumber

White-skinned pickling cucumber with powdery mildew resistance. 3-5" fruits with black spines. Intermediate resistance to angular leaf spot and powdery mildew.

49 days to harvest.




(ool (ustomer Pickling (ucumber

A rugged, organic pickling cucumber with exceptional crunch and flavor. 4-5" fruits that can hold up to 2 weeks after harvest. Tough and resistant plant 55 days to harvest



Barbarella

Barbarella eggplants are the dark purple Italian type with a white halo. They are tender fruits with good yield and excellent flavor. Typically 4-5" long and 4-6" in diameter 65 days to harvest





Fast-maturing beet with strong tops. Tough, widely adapted, and reliable. Smooth, rich red skin and excellent flavor. Attractive, fine taproot. Big healthy tops. Stores well through the winter in proper conditions. 50 days to harvest.



Boldor Yellow Beet

Improved germination and seedling vigor. Strong tops and great flavor. Also keeps its color when cooked.

55 days to harvest.

(hioggia Guardsmark Striped Beet

The highest-quality Chioggia strain available. Medium-height tops are green with pink-striped stems. Excellent flavor.





Assorted Vegetables & Melons



Beatrice Italian Eggplant

High yields of round, bright violet, Italian-type fruits. Early maturity, dark fruit color, and smaller than other varieties (4-6" long by 4-5" diameter).

62 days to harvest.

Fairy Tale Eggplant

Purple-and-white mini eggplant. Attractive, 2–4" long by 3/4–1 1/4" diameter, fruits are borne abundantly on compact 18-24" plants. Wonderful flavor with no bitterness and very few seeds. Some fruits may be harvested in clusters.

65 days to harvest.



Patio Baby Eggplant

Well-suited for balconies, patios, and gardens and also ideal for pack sales and urban farming operations. Patio Baby is a true mini, maintaining proper proportions of fruit to calyx as it grows. Thin-skinned 2–3" long fruit with tender flavor, perfect for grilling or roasting. Space-saving 18-24" plants.

50 days to harvest.

Butterfingers Summer Squash

Glossy, lemon-yellow fruits with exceptionally high yield. Semi-open and spineless plant eliminates fruit scarring and make for easier harvesting. 52 days to harvest



Multipik Summer Squash

Yellow straightneck. Precocious gene ensures fruits will stay yellow, and not show green streaking if they are infected with virus (CMV or WMV). Vigorous bush plants have a high yield potential and long harvest period. Rich yellow fruits with a medium bulb. 50 days to harvest.


Mini Love Watermelon

Sweet and firm, oval-round fruits avg. 5-7 lb. Distinctive, bright green rind with dark green stripes and dense, bright red flesh. Very productive. Mini Love's seeds are smaller and less abundant than those of a typical diploid. Excellent field-holding ability and shelf life. Avg. 2-4 fruits/plant. 70 days to harvest.









High-yielding plants produce armloads of slender, glossy fruits 8-10" long by 1 1/2-2 1/2" diameter. Ready up to 2 weeks before other early varieties. Sets fruit in cool weather and under heat stress. Tender, delicately flavored, and quick-cooking.

58 days to harvest.

Galine Eggplant

High-yielding Black Bell type. Very glossy, uniform, black to purple fruits are 6-7" long by 3-4" in diameter. Strong plants produce early, firm fruits. High yielding, even in the North.

65 days to harvest.

Nigral Eggplant

Traditional appearance with modern advantages. Spineless plant reliably sets fruit under variable conditions. Heavy yields.

65 days to harvest.



Dunja Zucchini

A high yielder of dark-green, straight zucchinis. Open plants and short spines make for an easy harvest. Intermediate resistance to powdery mildew, papaya ringspot virus, watermelon mosaic virus, and zucchini yellow mosaic virus.

47 days to harvest.

Zephyr Summer Squash

Distinctive, slender fruits are yellow with faint white stripes and light-green blossom ends. Harvest young at 4-6" for delicious, nutty flavor and firm texture. Vigorous, high-yielding plants. Edible blossoms bear a mild, squash-like flavor and are great stuffed and fried, or sliced for use in soups, omelets, salads, and pasta dishes. 54 days to harvest.

Sarah's (hoice (antaloupe

Its flavor combined with its attractive oval fruits and ideal 3-lb. size, make it the best variety for retail sales. Harvest at full-slip (when a gentle tug removes the fruit from the vine). Intermediate resistance to Fusarium wilt races 0-2 and powdery mildew. 76 days to harvest.







Peppers



Jalapeno Pepper

Large, medium green fruits with a front-of-mouth heat. On average 4-4 1/2" long. Intermediate resistance to *Meloidogyne arenaria*, *M. incognita*, and *M. javanica*.

70 days to green; 90 days to red ripe harvest

(ortnito Giallo Pepper

Half-size Cornito pepper that is exceptionally

sweet and attractive. Start as small green fruits and develop into bright yellow with a

sweet and fruity flavor. Perfect for grilling

and roasting. 55 days to green; 75 days to yellow ripe harvest



Shishito Pepper

Avg. 3–3 1/2" fruits are thin-walled and have no heat. Also very good roasted, in stir-fries, or sautéed. Thinly sliced, the red, slightly sweet fruits are excellent in salads and cole slaws. The plants are large and very productive.

60 days to green; 80 to red ripe harvest.



Santo Domingo Serrano Pepper

Standard flavor and pungency of a serrano pepper with a smoky undertone. Fruits average 4 1/2"-5" long. 62 days to green; 82 days to rep ripe harvest



(armen Italian Red Pepper

Early, adaptable, and notably sweet (especially when fully red-ripe) with a shapely tapered silhouette. Begins green, then deepens to a beautiful carmine at maturity. Excellent roasted, grilled, and in salads. Upright, medium-sized plant. Suitable for indoor and outdoor growing. Fruits avg. 6" long x 2 1/2" wide. Avg. weight 5 oz. 60 days to green; 80 to red ripe harvest.

Mellow Star Pepper

Traditional Japanese shishito pepper. Avg 3 1/2 - 4" with heavily wrinkled and thin walls. No heat when green and slightly sweet when red. Very good roasted, in stir-fries, or sautéed. Thinly sliced, the red, slightly sweet fruits are excellent in salads and cole slaws. 60 days to green; 80 to red ripe harvest.

Sargento Poblano Pepper

Very dark green. Extra-large fruited poblano. Average 3" wide and 5-6" long. Intermediate resistant to phytophthora blight. Excellent yield potential. Suited for fresh and drying 65 days till green; 85 days to red ripe harvest



Baron Poblano Pepper

This widely adapted pepper performs particularly well under challenging conditions. The fruits are very large, avg. 5" x 3", and are typically 2-lobed, which makes them easy to stuff and cook in their signature dish, chile rellenos. They also may be dried and ground into medium-hot powder or flakes.

65 days to green; 85 to red ripe harvest.



Ace Bell Pepper

Medium-size, 3-4 lobed fruits with thick walls. Sweet and tender taste. Extra-early, highly productive, and perform particularly well in cool climates

50 days till green; 70 days till red ripe harvest



Lettuce & Greens



Panisse, Head Lettuce

Bright green oakleaf.

Large, lime green, lobed leaves form dense heads with a long harvest window.

New Red Fire, Head Lettuce

Red leaf lettuce with heat tolerance. New Red Fire is relatively slow, but produces uniform, heavy heads of wellcolored, frilly leaves.





Nancy

Traditional Boston type for spring and fall.

The medium green leaves are unusually thick and crisp, so the head is sturdy and holds well. The large, well-packed heart has excellent butterhead quality.



Colorful baby Lettuce. Harvest about 1" above the growing point when leaves reach desired harvestable length, about 3–4" long.

Cut and come again!



Salanova, Lettuce Mix

Create a salad mix with beautiful heads! This collection includes equal amounts of the cored Butter and cored Oakleaf types (Green Butter, Red Butter, Green Oakleaf, and Red Oakleaf)



(egolaine

Bronze-red Little Gem type.

Exceptionally slow-bolting true bibb with semisavoy leaf and very uniform, dense heads.



Bright Lights

The gold standard for multicolored Swiss chard. Nicely savoyed and glossy green or bronze leaves with stems of many colors including gold, pink, orange, purple, red, and white with bright, pastel, and multicolored variations. The flavor is milder than ordinary chard



Bel Fiore

Spotted, round heads for year-round harvest. Harvest when full but loose, like butterhead lettuce. Bel fiore, or "beautiful flower" in Italian, refers to how the heads can be displayed with centers opened to resemble a flower. Mild radicchio flavor in all seasons.



Perseo

Extra-early Chioggia type Radicchio. Smaller heads (3–4"). Allow for planting at higher densities.

About 55 days till harvest.



Eros

Earliest escarole. Dense, heavy heads of mildly bitter leaves suitable for salads or sautéing.



Winterbor

Standard curly kale with ruffled blue-green leaves. Tall plants with excellent yield and hardiness, it can grow up to 2" tall. Early spring and late fall Kale. 60 days to harvest



Black Magic

Toscano kale with long, narrow, bluegreen leaves. This plant has a high-yield, growing up to 15 " wide and 19" tall. Bolt resistance and cold tolerant 65 days to harvest

Herbs



Italian Parsley

The preferred culinary variety. Huge, dark green leaves with great flavor. Strong, upright stems with very high yielding. Ht. 18–20".

75 days to harvest.

English Thyme

The English Thyme is a beautiful purple-gray flowering herb that brings out a great flavor when added to different dishes. This herb grows tall and wide and if allowed to flower, will bring butterflies and bees to the garden. English Thyme is commonly used for seasoning either fresh or dried. Ht 6-15". 70 days to harvest.

Greek Oregano

Strong aroma and flavor. Characteristic dark green leaves with white flowers. Attracts Beneficial Insects: provides pollen and nectar for bees, hoverflies, lacewing larva, parasitic wasps, and tachinid flies. The flowers have an oregano flavor and can be used in the same manner as the herb. Try them in pasta salads, green salads, and as a fresh pizza topping. 80-90 days to harvest.

Kentucky Spearmint

A highly aromatic plant, Kentucky releases its strong, minty scent even when you brush past it. Great for drinks and garnish. A large leaf on a robust plant. Spreads easily in the garden, bears lilac blooms. Mint is easy to grow, especially in containers! Ht: 12-18". 85-90 days to harvest.



Borage Edible Flower

Edible flower with mild cucumber flavor. Large plants bear hundreds of small edible flowers, mostly blue and some pink. Long harvest period. Borage flowers attract bees and butterflies. Add the flowers to salads or use to garnish cold drinks and desserts. Freeze as ice cubes. 50-60 days to harvest.

Santo (ilantro

Like the leaves and seeds, the flowers are also edible. Attracts Beneficial Insects: if allowed to flower, provides pollen and nectar for beneficial insects such as bees, hover-flies, and tachinid flies. Use flowers raw because the flavor fades quickly when cooked. Sprinkle to taste on salads, bean dishes, chicken, and spicy southwestern dishes. 50-55 days to harvest, 90-105 to coriander seed.













Stevia

Incredibly sweet leaves are an herbal alternative to sugar.

Use fresh, dried, powdered, or as a liquid to sweeten a variety of foods and beverages. Bushy, high-yielding plants. Perennial in Zones 9-11.

100-120 days to harvest.

Mexican Mint Marigold

Aromatic leaves are a substitute for French tarragon. Sweet licorice flavor brightens salads and main dishes. The edible, pretty, golden-yellow flowers bloom all summer. Thrives in warmer climates. Use the edible flowers to garnish desserts and drinks with the same sweet licorice flavor as the leaves.

80-90 days to harvest.

Anise Hyssop

Popular bedding plant and edible flower. Very aromatic with a sweet, licorice-mint flavor. Vigorous plants produce abundant blooms, attracting bees and other pollinators. Leaves and flowers can be used fresh or dried to flavor drinks, salads, soups, pasta, and desserts.

75-80 days to harvest.

Italian Basil

The dense, slow-bolting plants produce large, dark green, glossy, heavily cupped leaves. Uniform plants with short spaces between leaves produce high yields. Excellent for live plant, container, and hydroponic production, as well as gardens. Compact plants are not recommended for commercial bunch harvest. Ht. 16–18". 74 days to harvest.



Try it as a flavorful garnish for sweet dishes. Green, 2" long leaves have a spicy, anise/clove flavor. Attractive purple stems and blooms. Ht. 16–20". Use the edible flowers in any recipe that calls for basil, or to garnish drinks, salads, soups, pasta, and desserts. Flavor is of intense, spicy basil with notes of clove and anise. 64 days to harvest.

Lemon Basil

Sweet and tangy lemon basil. Very bright green, 2 1/2" long leaves with white blooms make this basil both attractive and intensely flavorful. Ht. 20-24".

Use the edible flowers in any recipe that calls for basil, or to garnish drinks, salads, soups, pasta, and desserts. Flavor is of intense basil and citrus. 60 days to harvest.



Herbs & Flowers





For field, container, and hydroponic production. Productive, slow-bolting dill with full, densely packed leaves. Teddy produces a fuller plant that is more vibrant in color and only slightly faster to bolt than Fernleaf. Excellent for full-size and baby-leaf production. 45-55 days to harvest.

(ommon (hamomile

Good yields of small, sweet smelling, daisy-like flowers. Tea made from the flowers aids digestion and acts as a gentle sleep inducer. The edible flowers can be used to garnish salads, desserts, and drinks. Flavor is slightly sweet and of chamomile. 60-65 days to harvest.

Benary's Giant Mix, Zinnias

Densely petaled blooms up to 6" across. Longlasting standouts in bouquets. Cut-and-comeagain flower, yielding multiple cuts over the season. Colors include: deep red, orange, carmine rose, coral, lime, wine, purple, bright pink, white, salmon rose, scarlet, and golden yellow. Ht. 40-50". 75-90 days to harvest.

(oral Fountain, Amaranth

Unique coral-pink tassels. Coral Fountain is a great complement to Emerald Tassels and Love-Lies-Bleeding. All have similar plant habits, days to maturity, and great presence in arrangements. Common names include amaranth and tassel flower. Ht. 36-60". 65-76 days to harvest.



Love-Lies-Bleeding, Amaranth

Ropes of deep red, trailing blooms. A reminder of things Victorian and a graceful accent in arrangements. Common names include amaranth and tassel flower. Ht. 36-60". Excellent for cut & dried flowers, backs of beds, accent borders, or containers. 65-75 days to harvest.

Johnnys Potomac (ustom Mix, Snapdragon

Mix contains apple blossom bicolor, cherry rose, royal, yellow, white, red, orange, lavender, and pink. Edible: The flowers are a colorful garnish for use in salads, desserts, and drinks. The flavor is floral and slightly bitter, so use sparingly. Ht. 40-60". 40-60 days to harvest.





Mojito Mint

Mojito Mint has loads of aroma and a wide range of culinary and landscape uses! With beautiful, green & puckered foliage, this Mint-family member is a vigorous grower and carries a mild, citrusy mint flavor! These space-saving plants are very adaptable and grow anywhere. Mints are wonderful garden plants and have blooms that pollinators adore! 60-70 days to harvest.

Sage Berggarten

An evergreen perennial with unique, pungent flavor and aroma. Salvia officinalis 'Berggarten', full sun, perennial plant hardy in zones 6-10, a culinary delight, All parts of this plant may be used in cooking; more compact, foliage is purple in full sun. 75 days to harvest.

Red Shisho

Red leaf with a distinct cinnamon/clove flavor and aroma, with the spininess of cumin. Used in Asian cooking, sushi, and salad mix. 80-85 days to harvest







Flashback Mix, Calendula

An excellent mix of colors; high percentage of double and semidouble flowers on long, strong stems. **Edible:** Flower petals can be used fresh or dried in "flower confetti," soups, soufflés, rice dishes, baked goods, salad mixes, and to garnish desserts. Flavor is tangy and slightly bitter. Remove the petals from the flower base before consuming. Ht. 18-24". 50-55 days to harvest.

Ruby Moon, Hyacinth

Purple stems, lilac-rose blossoms, and shiny 2–3" magenta pods. While all parts of the plant are edible, we recommend boiling the mature seeds twice before eating. Used in Asian, Thai, and Indian cuisine. Blooms and pods are useful as cut flowers; pods may be dried. Flavor is mild, bean-like, and sweet. Ht. 10-20'. 110-120 days to harvest.

oklahoma Formula Mix, Zinnia

Bright colors, excellent vase life, and low susceptibility to powdery mildew. Prolific, double and semidouble blooms are easy to use in bouquets due to their smaller size. Cut-and-come-again flower, yielding multiple cuts over the season. Ht. 30-40". 75-90 days to harvest.





Herbs & Flowers



Versailles Mix, (osmos

Developed especially for cutting. Early blooming and vigorous. Produces under short days and is also suitable for greenhouse culture during the winter. Strong stems can withstand considerable handling. Blooms are 2 1/2" across in shades of blush pink, pure white, carmine red, and pink with a deep pink eye. Cosmos are also known as garden cosmos. Ht. 40–48". 40-48 days to harvest.



Kaleidoscope Mix, Nasturtium

A robust organic mix. All the traditional bright colors (red, rose, yellow, orange, and cream) of a nasturtium mix with the added plus of swirled bicolors. Plants have a climbing and trailing habit. Edible: Use the flowers as garnishes, or stuff with soft cheese. The flowers can be minced and added to butters and the immature seed heads can be pickled. Peppery-flavored foliage is also edible. Ht. 16".; 55-65 days to harvest.

Sunflowers



Teddy Bear, Dwarf Sunflower

Versatile sunflower for field or container. The final height depends on the size of the container. Expect 8-12" plants from seeds directly sown in a 4" pot. 35-42" in the garden; 14-25" long stems. This branching variety will host 3-5" sunny, shaggy blooms. Minimal pollen. Ht. 8-12" in containers; 35-42" in the garden.

65-75 days to harvest.

Big Smile, Dwarf Sunflower

Slightly larger blooms than Sunny Smile. Attractive in small beds, containers, and 4–6" pots. 3–6" blooms are bright golden-yellow with a black center. Day neutral. Branching. Bears pollen. Ht. 10–15" in containers; 12–24" in the garden. 50-60 days to harvest.



Firecracker, Dwarf Sunflower

Dwarf, branching plants loaded with red and gold flowers. Compact plants produce a mass of bright, 4-6" bicolored flowers that are great in containers. 16-

36" long stems. Pollen-less. Ht. 36–46". 50-60 days to harvest.







Florenza, Sunflower

Excellent stem quality for cut flowers. Unique color combination and mild chocolate fragrance. No drooping flower heads; strong, straight 15–32" stems provide firm support. Plants have relatively small, and few, leaves, making them more manageable, neater, and easier to harvest. Produces pollen. Branching. Ht. 45–55". 70-80 days to harvest.

Goldy Double, Sunflower

Fully-double, bright golden flowers. 5–7" blooms with green-to-yellow centers. Stems 18–24" long. Goldy Double is similar in appearance, but matures earlier than Giant Sungold. Minimal pollen. Branching. USDA Certified Organic. Ht. 60–72". 85-95 days to harvest.

Pro(ut orange, Sunflower

Orange petals and a dark disk. Tall, with strong stems. 4–6" blooms. Pollen-less. Single stem. Ht. 60–72". 50-60 days to harvest.

Seed Packets



Provider Bush Beans

Provider can be planted earlier than other beans because it germinates well in cool soils. Compact plants are easy to grow and adaptable to diverse soil and climate conditions. Produces 5-5 1/2" fleshy round pod green beans. High resistance to

bean mosaic virus and powdery mildew. Purple seeds.

50 days to harvest.

Monte Gusto Pole Beans

Smooth bright yellow pods. This elegant, flavorful wax bean is a clear improvement over older varieties. Pods mature at 8–8 1/2" but may also be harvested as very attractive filet beans at 7". Better tasting than bush wax beans. Brown seeds. Pole bean; requires trellising. 58 days to harvest.





French Breakfast Radish

Compared to D'Avignon, it is slightly shorter, with less white on the tip and a bigger plant canopy. NOTE: For longer, straighter roots, sow 15–20% more seeds per row 1/2 to 1 cm deeper, and do not irrigate unless absolutely necessary. 21 days to harvest.

Rover Radish

Rover matures very early, holds well in the field, and produces fewer oval radishes under heat stress than other varieties. Extremely uniform and attractive. Roots are smooth and dark red with crisp, white flesh. Very widely adapted.

21 days to harvest.



Northeaster Pole Beans

This early maturing Roma-type pole bean has a deliciously rich, sweet flavor. The 8" long, 1" wide, flat green pods are stringless and stay tender for long periods. Extra vigorous in the seedling stage with strong vine growth. white seeds. Pole bean; requires trellising. 56 days to harvest.



Hakurei Turnips

The smooth, flat-round, white roots mature early (just after radishes) and are best harvested young, up to 2" diameter. Eaten raw, the flavor is sweet and fruity, and the texture is crisp and tender. The tops may be eaten raw or lightly cooked. Hakurei stays smooth as it sizes. 38 days to harvest.



Runaway Arugula

Deeply lobed. The quick growth of salad arugula with the lobed appearance of wild arugula. Mild nutty/peppery flavor.

21 days to harvest.



Mokum (arrots

Slender "pencil" carrots with top-rated flavor. Hold a high sugar and brittle tenderness, even in warm weather. Enjoy as a baby carrot or as a full size at 6-8 inches.

36 days to baby; 54 days to full-size harvest